



Monarch Oil (Kitchener) Limited

2216 SHIRLEY DRIVE KITCHENER, ONT. N2B 3Y1

DISTRIBUTORS OF PETROLEUM PRODUCTS SINCE 1912

“YOUR LUBRICANT SPECIALISTS” – INDUSTRIAL – COMMERCIAL – AUTOMOTIVE



Tel. (519) 743-8241
1-800-268-OILS
1-800-268-6457
FAX (519) 743-9802
BN: 10374 5733 RT 0001

Windshield Wash Antifreeze (-40°C)

SDS Preparation Date (mm/dd/yyyy): 11/02/2016

Page 1 of 11

SAFETY DATA SHEET

CCH550

SECTION 1. IDENTIFICATION

Product identifier used on the label

: **Windshield Wash Antifreeze (-40°C)**

Product Code(s) : Not available.

Recommended use of the chemical and restrictions on use

: Windshield Washer Anti-Freeze
Use pattern: Professional Use Only
Recommended restrictions: None known.

Chemical family : Mixture .

Name, address, and telephone number of the supplier:

Comet Chemical Company Ltd.

3463 Thomas Street
Innisfill, ON, Canada
L9S 3W4

Supplier's Telephone # : 705-436-5580

24 Hr. Emergency Tel # : TERRRAPURE ENVIRONMENTAL : 800-567-7455

Name, address, and telephone number of the manufacturer:

Refer to supplier

SECTION 2. HAZARDS IDENTIFICATION

Classification of the chemical

Clear blue liquid. Alcohol odour.

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Hazard classification :

Flammable liquid - Category 3

Acute toxicity - Oral - Category 4

Acute toxicity - Dermal - Category 3

Acute toxicity - Inhalation - Category 3

Eye irritation - Category 2A

Reproductive toxicity - Category 2

Specific target organ toxicity, single exposure - Category 1

Label elements

Hazard pictogram(s)



Signal Word

DANGER!

SAFETY DATA SHEET

Hazard statement(s)

- Flammable liquid and vapor.
- Harmful if swallowed.
- Toxic if inhaled.
- Toxic in contact with skin.
- Causes serious eye irritation.
- Suspected of damaging the unborn child if inhaled.
- Causes damage to the optic nerves (eyes) if swallowed.

Precautionary statement(s)

- Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- Keep away from heat, sparks and open flame. - No smoking.
- Keep container tightly closed.
- Ground/Bond container and receiving equipment.
- Use explosion-proof electrical and ventilating equipment.
- Use only non-sparking tools.
- Take precautionary measures against static discharge.
- Wear protective gloves/clothing and eye/face protection.
- Wash hands and face thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Use only outdoors or in a well-ventilated area.
- Do not breathe fumes, mists or vapours.
- In case of fire: Use water fog, dry chemical, CO2 or 'alcohol' foam to extinguish.
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
- Get medical attention/advice if you feel unwell.
- Take off contaminated clothing and wash it before reuse.
- If swallowed: Call a poison center/doctor if you feel unwell.
- Rinse mouth.
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- Call a poison center/doctor.
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
- Continue rinsing.
- If eye irritation persists: get medical advice/attention.
- Store in a well-ventilated place. Keep cool.
- Store locked up.
- Keep container tightly closed.

Dispose of contents/container in accordance with local regulation.

Other hazards

Other hazards which do not result in classification:
May cause mild skin irritation. May be harmful if absorbed through the skin. Prolonged or repeated overexposure could cause adverse liver effects. Burning produces obnoxious and toxic fumes.

Environmental precautions: Avoid release to the environment.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

<u>Chemical name</u>	<u>Common name and synonyms</u>	<u>CAS #</u>	<u>Concentration (% by weight)</u>
Methanol	Carbinol Methyl hydrate Methyl alcohol	67-56-1	49.00

SAFETY DATA SHEET

SECTION 4. FIRST-AID MEASURES

Description of first aid measures

- Ingestion* : Call a physician or poison control centre immediately. Do not induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person.
- Inhalation* : If inhaled, move to fresh air. If breathing is difficult, give oxygen by qualified medical personnel only. If breathing has stopped, give artificial respiration. Get medical attention if symptoms persist.
- Skin contact* : Immediately flush skin with running water for at least 15 minutes, while removing contaminated clothing. Get medical attention if symptoms persist. Wash contaminated clothing before re-use.
- Eye contact* : Immediately flush eyes with running water for at least 20 minutes. Remove contact lenses, if present and easy to do. Get medical attention if symptoms persist.

Most important symptoms and effects, both acute and delayed

- : Harmful if swallowed. Causes serious eye irritation. Symptoms may include redness, pain, tearing and conjunctivitis. Suspected of damaging the unborn child. May cause fetotoxic (toxic to the fetus during the latter stages of pregnancy, often through the placenta) and teratogenic effects (causing malformations of the fetus), based on animal information. Causes damage to the optic nerve and central nervous system. Toxic if inhaled. May be harmful if absorbed through the skin. May cause mild skin irritation.
Prolonged or repeated overexposure could cause adverse liver effects.

Indication of any immediate medical attention and special treatment needed

- : Treat symptomatically. Immediate medical attention is required. This product is a CNS depressant.
Contains methanol. Symptoms may be delayed. Medical supervision for minimum 48 hours.

Administration of ethanol can slow the metabolism of methanol, thus reducing the potential for harmful effects.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media

- : Extinguishing media - small fires: Use water fog or fine spray, foams, carbon dioxide or dry chemical.
Extinguishing media - large fires: AFFF(R) [Aqueous Film Forming Foam (alcohol resistant)] type with either a 3% or 6% foam proportioning system; Water spray (see note in Unsuitable Extinguishing Media).

Unsuitable extinguishing media

- : Do not use a solid water stream as it may scatter and spread fire. Water may be ineffective because it may not cool product below the flashpoint.
General purpose synthetic foams or protein foams.

Special hazards arising from the substance or mixture / Conditions of flammability

- : Flammable liquid and vapor. Will be ignited by heat, sparks, flame, or other ignition sources. Burns with a nearly invisible flame. Vapours are heavier than air and collect in confined and low-lying areas. Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure.

Flammability classification (OSHA 29 CFR 1910.106)

- : Flammable liquid - Category 3

Hazardous combustion products

- : Carbon oxides; formaldehyde; Other unidentified organic compounds.

Special protective equipment and precautions for firefighters

Protective equipment for fire-fighters

SAFETY DATA SHEET

- : Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode.
- Special fire-fighting procedures*
- : Fight fires from a safe distance. Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

- : Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. Individuals involved in the cleanup must wear appropriate personal protective equipment. For personal protection see section 8.

Environmental precautions : Ensure spilled product does not enter drains, sewers, waterways, or confined spaces. For large spills, dike the area to prevent spreading.

Methods and material for containment and cleaning up

- : Ventilate the area. Use only non-sparking tools and equipment in the clean-up process. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product. Notify the appropriate authorities as required. Do not use combustible absorbents, such as sawdust.

Special spill response procedures

- : In case of transportation accident, contact TERRAPURE ENVIRONMENTAL at 1-800-567-7455.
US CERCLA Reportable quantity (RQ): Methanol (5000 lbs / 2270 kg)

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

- : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use only in well-ventilated areas. Wear suitable protective equipment during handling. Do not ingest or swallow. Do not breathe mist or vapor. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Keep away from heat, sparks and open flame. - No smoking. Ground/Bond container and receiving equipment. Use explosion-proof electrical and ventilating equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid contact with incompatible materials. Keep containers tightly closed when not in use. Empty containers retain residue (liquid and/or vapour) and can be dangerous. Do not use pressure to empty drums.

Conditions for safe storage : Store in a cool, dry, well-ventilated area. Store away from incompatible materials. Store locked up. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. No smoking in the area. Have appropriate fire extinguishers and spill clean-up equipment in or near storage area.

Incompatible materials : Acids; Powdered metals; Alkali metals; Isocyanates; Strong oxidizers (e.g. Chlorine, Peroxides, etc.).

SAFETY DATA SHEET

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits:				
<u>Chemical Name</u>	<u>ACGIH TLV</u>		<u>OSHA PEL</u>	
	<u>TWA</u>	<u>STEL</u>	<u>PEL</u>	<u>STEL</u>
Methanol	200 ppm (skin)	250 ppm (skin)	200 ppm (260 mg/m ³)	N/Av

NIOSH IDLH (Immediately Dangerous to Life or Health Concentrations): 6000 ppm

Exposure controls

Ventilation and engineering measures

- : Ensure adequate ventilation, especially in confined areas. Use general or local exhaust ventilation to maintain air concentrations below recommended exposure limits. Use explosion-proof electrical and ventilating equipment.

Respiratory protection

- : Respiratory protection is required if the concentrations exceed the TLV. NIOSH-approved respirators are recommended. Advice should be sought from respiratory protection specialists.

Skin protection

- : Wear protective gloves/clothing. Advice should be sought from glove suppliers.

Eye / face protection

- : Wear eye/face protection. Chemical splash goggles are recommended. A full face shield may also be necessary.

Other protective equipment

- : An eyewash station and safety shower should be made available in the immediate working area. Other equipment may be required depending on workplace standards.

General hygiene considerations

- : Do not breathe mist or vapor. Avoid contact with skin, eyes and clothing. Do not eat, drink or smoke when using this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove soiled clothing and wash it thoroughly before reuse. Handle in accordance with good industrial hygiene and safety practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Clear blue liquid.

Odour : Alcohol

Odour threshold : 50-100 ppm

pH : N/Av

Melting/Freezing point : -40°C

Initial boiling point and boiling range

: 64.5°C (148°F)

Flash point : 25°C (77°F)

Flashpoint (Method) : closed cup

Evaporation rate (BuAe = 1) : <1

Flammability (solid, gas) : Not applicable.

Lower flammable limit (% by vol.)

: 7%

Upper flammable limit (% by vol.)

: 36%

Oxidizing properties : None.

Explosive properties : Not expected to be sensitive to mechanical impact. May be sensitive to static discharge. Vapours in the flammable range may be ignited by a static discharge of sufficient energy.

SAFETY DATA SHEET

Vapour pressure : 92 mmHg @ 20°C
Vapour density : >1.1
Relative density / Specific gravity
: 0.90
Solubility in water : Complete
Other solubility(ies) : Soluble in all proportions in ethanol, benzene, other alcohols, chloroform, diethyl ether, other ethers, esters, ketones and most organic solvents.
Partition coefficient: n-octanol/water or Coefficient of water/oil distribution
: log P (oct) = - 0.8
Auto-ignition temperature : 464°C (867.2°F)
Decomposition temperature : N/Av
Viscosity : 0.75 cSt @ 20C (68°F)
Volatiles (% by weight) : Not available.
Volatile organic Compounds (VOC's)
: N/Av
Absolute pressure of container
: N/Av
Flame projection length : N/Av
Other physical/chemical comments
: None known or reported by the manufacturer.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not normally reactive.
Chemical stability : Stable under the recommended storage and handling conditions prescribed.
Possibility of hazardous reactions
: Hazardous polymerization does not occur.
Conditions to avoid : Keep away from excessive heat, open flames, sparks and other possible sources of ignition. Avoid contact with incompatible materials. Do not use in areas without adequate ventilation.
Incompatible materials : See Section 7 (Handling and Storage) for further details.
Hazardous decomposition products
: None known, refer to hazardous combustion products in Section 5.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Routes of entry inhalation : YES
Routes of entry skin & eye : YES
Routes of entry Ingestion : YES
Routes of exposure skin absorption
: YES

Potential Health Effects:

Signs and symptoms of short-term (acute) exposure

Sign and symptoms Inhalation

SAFETY DATA SHEET

: Toxic if inhaled. May cause irritation of the nose, throat, mucous membranes, and respiratory tract. Symptoms may include pain, headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects. Affected person could experience a latent period of no symptoms, followed by blurred vision and possibly blindness. Could also cause convulsions, coma, respiratory arrest and death.

Sign and symptoms ingestion

: Harmful if swallowed. May cause irritation of mouth, throat, and stomach. Symptoms may include pain, headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects. May cause blindness if swallowed - cannot be made non-poisonous. Could also cause convulsions, coma, respiratory arrest and death.

Sign and symptoms skin

: Toxic in contact with skin. May cause mild skin irritation. May be absorbed and cause symptoms similar to those for inhalation.

Sign and symptoms eyes

: Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling and blurred vision.

Potential Chronic Health Effects

: Prolonged or repeated skin contact may cause drying and irritation. Prolonged or repeated overexposure could cause adverse liver effects.

Mutagenicity

: Not expected to be mutagenic in humans.

Carcinogenicity

: No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

Reproductive effects & Teratogenicity

: This material is classified as hazardous under OSHA regulations (29CFR 1910.1200) (Hazcom 2012). Classification:
 Reproductive toxicity - Category 2. Suspected of damaging the unborn child.
 Contains Methanol. Methanol may cause fetotoxic and teratogenic effects at doses which are not maternally toxic, based on animal data. May cause fetotoxic (toxic to the fetus during the latter stages of pregnancy, often through the placenta) and teratogenic effects (causing malformations of the fetus), based on animal information.

Sensitization to material

: Not expected to be a skin or respiratory sensitizer.

Specific target organ effects

: This material is classified as hazardous under OSHA regulations (29CFR 1910.1200) (Hazcom 2012). Classification:
 Specific target organ toxicity, single exposure - Category 1. Causes damage to the optic nerves (eyes) if swallowed.

Other hazards which do not result in classification:

Prolonged or repeated overexposure could cause adverse liver effects.

Medical conditions aggravated by overexposure

: Pre-existing skin, eye, respiratory and central nervous system disorders.

Synergistic materials

: Methanol can increase the toxicity of other liver toxins (e.g. Carbon tetrachloride).

Toxicological data

: There is no data available for this product. The calculated ATE values for this mixture are:
 ATE oral = 612.25 mg/kg
 ATE dermal = 802.04 mg/kg
 ATE inhalation (vapours) = 8.36 mg/kg

<u>Chemical name</u>	<u>LC₅₀(4hr)</u>	<u>LD₅₀</u>	
	<u>inh, rat</u>	<u>(Oral, rat)</u>	<u>(Rabbit, dermal)</u>
Methanol	> 5000 ppm/6H (4.1 mg/L/4H (vapour))	5628 mg/kg (rat) The estimated human lethal dose is: 300 - 1000 mg/kg	> 393 mg/kg (Monkey) 15 800 mg/kg (rabbit)

Other important toxicological hazards

: None known or reported by the manufacturer.

SECTION 12. ECOLOGICAL INFORMATION

SAFETY DATA SHEET

Ecotoxicity : Not expected to be harmful to aquatic organisms. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters. See below for individual ingredient ecotoxicity.

Ecotoxicity data:

<u>Ingredients</u>	CAS No	Toxicity to Fish		
		LC50 / 96h	NOEC / 21 day	M Factor
Methanol	67-56-1	15 400 mg/L (Bluegill sunfish)	446.7 mg/L/28-day (Fathead minnow) (QSAR)	None.

<u>Ingredients</u>	CAS No	Toxicity to Daphnia		
		EC50 / 48h	NOEC / 21 day	M Factor
Methanol	67-56-1	> 10 000 mg/L (Daphnia magna)	208 mg/L (QSAR)	None.

<u>Ingredients</u>	CAS No	Toxicity to Algae		
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor
Methanol	67-56-1	22 000 mg/L/96hr (Green algae)	N/Av	None.

Persistence and degradability

: Readily biodegradable.

Bioaccumulation potential

: Does not accumulate in organisms.

<u>Components</u>	<u>Partition coefficient n-octanol/water (log Kow)</u>	<u>Bioconcentration factor (BCF)</u>
Methanol (CAS 67-56-1)	- 0.82 to - 0.64	<10 species: fish

Mobility in soil : No data is available on the product itself.

Other Adverse Environmental effects

: No data is available on the product itself.

SECTION 13. DISPOSAL CONSIDERATIONS

Handling for Disposal

: See Section 7 (Handling and Storage) for further details. Empty containers retain residue (liquid and/or vapour) and can be dangerous. Do not cut, weld, drill or grind on or near this container.

Methods of Disposal








: Reuse or recycling should be given priority over disposal. Large volumes may be suitable for re-distillation or, if contaminated, incinerated. Can be disposed of in a sewage treatment facility.

RCRA

: If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method.

SAFETY DATA SHEET

SECTION 14. TRANSPORTATION INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
TDG	UN1230	METHANOL	3(6.1)	II	 
TDG Additional information	May be shipped as LIMITED QUANTITY when transported in containers no larger than 1.0 Litre, in packages not exceeding 30 kg gross mass. Under the TDGR, refer to Section 1.17 for additional exemption information, if shipping under this exemption. ERG # 131				
49CFR/DOT	UN1230	Methanol	3(6.1)	II	 
49CFR/DOT Additional information	May be shipped as LIMITED QUANTITY when transported in containers no larger than 1.0 Litre, in packages not exceeding 30 kg gross mass. Refer to 49 CFR Section 173.150. US CERCLA Reportable quantity (RQ): Methanol (5000 lbs / 2270 kg) ERG # 131				
ICAO/IATA	UN1230	Methanol	3(6.1)	II	 
ICAO/IATA Additional information	Refer to the appropriate Packing Instruction, prior to shipping this material. Review all State and Operator Variations, prior to shipping this material.				
IMDG	UN1230	METHANOL	3(6.1)	II	 
IMDG Additional information	May be shipped as LIMITED QUANTITY when transported in containers no larger than 1.0 Litre, in packages not exceeding 30 kg gross mass. Flash point: 11°C (52°F) EmS No.: F-E; S-D Stowage and segregation: Category B; Clear of living quarters				

Special precautions for user : Keep away from heat, sparks and open flame. - No smoking.

Environmental hazards : This product does not meet the criteria for an environmentally hazardous mixture, according to the IMDG Code. See Section 12 for more environmental information.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: This information is not available.

SECTION 15 - REGULATORY INFORMATION

US Federal Information:

Components listed below are present on the following U.S. Federal chemical lists:

<u>Ingredients</u>	CAS #	TSCA Inventory	CERCLA Reportable Quantity(RQ) (40 CFR 117.302):	SARA TITLE III: Sec. 302, Extremely Hazardous Substance, 40 CFR 355:	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical	
					Toxic Chemical	de minimus Concentration
Methanol	67-56-1	Yes	5000 lbs / 2270 kg	None.	Yes	1%

SAFETY DATA SHEET

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: Fire Hazard; Immediate (Acute) health hazard; Chronic Health Hazard. Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds or the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

<u>Ingredients</u>	CAS #	California Proposition 65		State "Right to Know" Lists					
		Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
Methanol	67-56-1	No	Developmental	Yes	Yes	Yes	Yes	Yes	Yes

Canadian Information:

WHMIS information: Refer to Section 2 for a WHMIS Classification for this product. Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

International Information:

Components listed below are present on the following International Inventory list:

<u>Ingredients</u>	CAS #	European EINECs	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC
Methanol	67-56-1	200-659-6	Present	Present	(2)-201	KE-23193	Present	HSR001186

SECTION 16. OTHER INFORMATION

Legend

: ACGIH: American Conference of Governmental Industrial Hygienists
 CA: California
 CAS: Chemical Abstract Services
 CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980
 CFR: Code of Federal Regulations
 CNS: Central Nervous System
 DOT: Department of Transportation
 EmS: Emergency Schedules
 EPA: Environmental Protection Agency
 ERG: Emergency Response Guidebook
 HMIS: Hazardous Materials Identification System
 HSDB: Hazardous Substances Data Bank
 IARC: International Agency for Research on Cancer
 Inh: Inhalation
 LC: Lethal Concentration
 LD: Lethal Dose
 MA: Massachusetts
 MN: Minnesota
 MSHA: Mine Safety and Health Administration
 N/Ap: Not Applicable
 N/Av: Not Available
 NFPA: National Fire Protection Association
 NIOSH: National Institute of Occupational Safety and Health
 NJ: New Jersey
 NTP: National Toxicology Program

SAFETY DATA SHEET

OSHA: Occupational Safety and Health Administration
PA: Pennsylvania
PEL: Permissible exposure limit
RCRA: Resource Conservation and Recovery Act
RI: Rhode Island
RTECS: Registry of Toxic Effects of Chemical Substances
SARA: Superfund Amendments and Reauthorization Act
STEL: Short Term Exposure Limit
TDG: Canadian Transportation of Dangerous Goods Act & Regulations
TLV: Threshold Limit Values
TSCA: Toxic Substance Control Act
TWA: Time Weighted Average
WHMIS: Workplace Hazardous Materials Identification System

References

- : 1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices for 2016
- 2. International Agency for Research on Cancer Monographs, searched 2016
- 3. Canadian Centre for Occupational Health and Safety, CCIInfoWeb databases, 2016(Chempendium, HSDB and RTECs).
- 4. Material Safety Data Sheets from manufacturer.
- 5. US EPA Title III List of Lists - 2016 version.
- 6. California Proposition 65 List - 2016 version.
- 7. OECD - The Global Portal to Information on Chemical Substances - eChemPortal,2016.

Preparation Date (mm/dd/yyyy)

: 11/02/2016

Other special considerations for handling

: Provide adequate information, instruction and training for operators.

Prepared by:

ICC The Compliance Center Inc.
Telephone: (888) 442-9628 (U.S.): (888) 977-4834 (Canada)
<http://www.thecompliancecenter.com>



DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by / obtained from Comet Chemical Company Ltd. and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Comet Chemical Company Ltd. expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Comet Chemical Company Ltd.

END OF DOCUMENT